


## How do I Enable IMAP?


This is the first step to configuring bMail on an email client like Outlook. Enabling IMAP allows email clients to link and access your emails properly.

Step	Procedure
1	Go to your <a href="#">bMail</a> . Click on the <b>Gear icon</b> in the upper right hand corner and select <b>Settings</b> .




Step	Procedure
------	-----------

2	In Settings, go to the <b>Forwarding and POP/IMAP</b> tab.
---	--



Step	Procedure
------	-----------

3	In the <b>IMAP Access:</b> section, click the <b>Enable IMAP</b> radio button.
---	--



Step	Procedure
4	Go to the bottom of the page and click <b>Save Changes</b> .

A screenshot of the Gmail settings page for IMAP. The page has a navigation bar at the top with tabs for 'General', 'Labels', 'Inbox', 'Accounts', 'Filters', 'Forwarding and POP/IMAP', 'Chat', and 'Web Clips'. The 'Forwarding and POP/IMAP' tab is selected. Below the navigation bar, there is a section for 'IMAP Access'. The 'Status: IMAP is disabled' is shown, with 'Enable IMAP' selected. There are three sections of radio button options: 'When I mark a message in IMAP as deleted:', 'When a message is marked as deleted and expunged from the last view:', and 'Folder Size Limits'. At the bottom of the settings area, there are two buttons: 'Save Changes' and 'Cancel'. A mouse cursor is pointing at the 'Save Changes' button. At the very bottom of the page, there is a footer with '0 GB (0%) of 15 GB used' on the left and '©2013 Google - Terms of Service - Privacy Policy - Program' on the right.

That's it! IMAP is now enabled.